Index

A	Balanced Y-Y system, 482, 556 Bandpass filter, 609–611, 615
ABC sequence, 480, 509, 516	definition of, 611
AC; see Alternating current	Bandstop filter, 609, 611, 616
AC bridges, 381, 382, 391; see also Bridge circuit	definition of, 611
AC circuits, 354	Bandwidth, 602, 616, 620, 632
AC sweep, 886	Bandwidth of rejection, 611
ACB sequence, 480	Barkhausen criteria, 418
Active filters, 613	Barkowiak, R. A., 929
advantages of, 614	Bell, Alexander G., 588, 707
Admittance, 370, 384, 672	Bell, D. A., 929
definition of, 371	Beloved, C., 929
Aidela, J. B., 929	Blackwell, W. A., 929
	Bobrow, L. S., 929
Alley, R. E., 930 Alternating appropriate (ac) 254, 477, 514, 568	Boctor, S. A., 929
Alternating current (ac), 354, 477, 514, 568	Bode, Henrick W., 589
definition of, 7	Bode plots, 589, 632
Ammeter, 57, 58	definition of, 589
Ampere, Andre-Marie, 3	Boylestad, R. L., 929
Amplifier	Branch, 60
averaging type, 194	definition of, 33
bridge type, 200	Break frequency; see Corner frequency
current type, 200	Bridge circuit, 50, 381, 430
difference type, 177, 190	types of, 391
inverting type, 171, 172, 189, 220, 416	Budak, A., 929
noninverting type, 174, 189, 419	Dudak, A., 929
summing type, 176, 189	
transresistance type, 173	
Amplitude, 355, 384, 880	C
Amplitude modulation (AM), 769, 785, 790	C
definition of, 786	
Amplitude spectrum, 711, 735, 762; see also	Capacitance, 202
Frequency spectrum	definition of, 202
Analog computer, 222	for parallel combination, 209
Angerbaur, G. J., 929	for series combination, 209
Angular frequency, 355, 384	Capacitance multiplier, 416, 420
Apparent power, 447, 451, 465, 495, 510, 556	Capacitor, 202, 205, 225
definition of, 447	applications of, 202–204, 220
Argument, 355, 356, 384	definition of, 202
Attributes, 869	in parallel, 229
Autotransformer, 552, 570	properties of, 205, 219
definition of, 553	in series, 229
Average power, 435, 445, 464, 495, 509, 730, 750; see also	types of, 203, 205
Real power	values of, 203
Average value, 444, 708, 710	Carlson, B. A., 929
Average value, 444, 706, 710	Cascade connection, 181, 819
	Cathode-ray tube, 15, 16
В	Center frequency, 616
	Characteristic equation, 302
D.1.1 1 N. 000	Charge
Balabanian, N., 929	conservation of, 6
Balanced load, definition of, 481	J-4::4: 6
Balanced Δ - Δ system, 488, 557	definition, 6
	Chattergy, R., 929
Balanced Δ -Y system, 490, 557 Balanced Y- Δ system, 486, 557	

Cilentti, M. D., 929	Delta-connected load, 492, 486, 489
Circuit, 4, 21	Delta-connected source, 492, 489, 490
analysis of, 4	Delta-wye transformation, 50, 61, 375
definition of, 4	Del Toro, V., 929
Coefficient of coupling; see Coupling coefficient	Demodulation, 787
Communication skill, 119	Derivatives, 861
Communication system, 759	Determinant, 846
Complete response, 259, 260, 283, 303, 315, 320, 668, 695	Direct current, 7, 477, 568
Completing the square, 661	definition of, 7
Complex conjugate, 361, 854	DC; see Current, direct
Complex conjugate, 361, 654 Complex numbers, 359–361, 851–858	DC meters, 56
in exponential form, 852	DC sweep, 873
in polar form, 851	Difference amplifier; <i>see</i> Amplifier
*	Differentiator, 221, 426
in rectangular form, 851	, ,
Complex power, 449, 451, 465, 495, 517, 548, 553	Digital-to-analog converter, 185
Computer; see Analog computer	Dirichlet, P. G. L., 709
Computer engineering, 237	Dirichlet conditions, 709
Conductance, 31, 60, 371	Discrete Fourier transform (DFT), 741
definition of, 31	Dorf, R. C., 929
Conductance matrix, 95	Dot convention, 530, 531, 569
Conservation of charge, 6, 35	Dual circuits, 333, 340
Conservation of energy, 11, 37	Duality, 332, 606, 668, 771
Conservation of power, 11, 453, 454	Duality principle, 333
Control systems, 583	Durney, C. H., 929
Convolution, 677, 695, 771	
definition of, 677	
properties of, 678	
Convolution integral, 677, 695	E
steps for evaluating, 679	
Corner frequency, 591	Edison, Thomas A., 477, 478
Coupling; see Magnetic coupling	Edminster, J., 929
Coupling coefficient, 537, 569	Education, 795
definition of, 537	· · · · · · · · · · · · · · · · · · ·
Cramer's rule, 76, 845	Effective value, 443, 464
definition of, 847	definition of, 443, 444
Critically damped response; see Response	Electric circuit; see Circuit
Crossover network, 630, 633	Electric current; see Current
Cunningham, D. R., 929	Electric shock, 516
Current	Electrical isolation, 553, 564
alternating, 7, 21	Electricity bill, 17, 22, 462
definition, 7	Electromagnetics, 527
direct, 7	Electromotive force, 6, 9
Current divider, 29, 33, 44, 45	Electronic instrument, 165
Current division, 44, 61, 374	Electronics, 75
Current gain, 585, 672	Element, 4
Cutoff frequency, 609	active, 13
Cutoff frequency, 009	passive, 13
	Energy, 10, 11
	conservation of, 11
D	consumption of, 17
	for coupled coils, 535
B : 205	Equivalence, 127, 132
Damping, 305	-
Damping factor, 305, 340, 880	Equivalent circuit, 42, 62, 128, 131, 147, 208, 218, 250,
Damping ratio, 303	541, 549
d'Arsonval meter movement, 57	of current sources, 37
Davis, A., 929	of op amp, 167
DeCarlo, R. A., 929	of voltage sources, 38
Decibel (dB), 588	Euler's formula, 856
Delay circuit, 276	Even function, 720
Delta function; see Unit impulse	Excitation, 120, 677

F G Gain Faraday, Michael, 201, 202 Fast Fourier transform (FFT), 741 closed-loop, 168 Filters, 584, 632, 746, 751 open-loop, 167 Gate function, 253 active types, 613 applications of, 626, 628, 630 Gibbs, Joseph W., 713 bandpass, 609, 610 Gibbs phenomenon, 713 bandstop, 609, 611 Goody, R. W., 929 definition of, 608 Grigsby, L. L., 929 highpass, 609, 610 Grob, B., 929 lowpass, 609 Ground, 76, 77, 515, 516; see also Reference node passive types, 608, 613 Final value, 296, 297, 654 Final-value theorem, 655 H First-order circuit, 238, 282 definition of, 238 for op amp, 268 Half-power frequencies, 602, 632 Flash unit, 278 Harmonics, 708 Floyd, T. L., 929 Harrison, C. A., 929 Forced response, 259, 314, 315, 320 Harter, J. J., 929 definition of, 260 Hassul, M., 930 Fourier, J. B. Joseph, 707, 708 Hayt, W. H., 929 Fourier analysis, 709 Hazen, M. E., 929 with PSpice, 740 Heaviside, Oliver, 660 Fourier coefficients, 708, 750 Heaviside's theorem, 660 Fourier series, 708, 749 Henry, Joseph, 201 amplitude-phase form, 711, 730, 750 Hernite, M. E., 929 for circuit applications, 727 Hertz, H. Rudorf, 353, 356 cosine type, 717 Highpass filter, 609, 610, 614, 629, 630 definition of, 709 definition of, 610 exponential form, 734, 735, 750, 761 Hostetter, G. H., 929 sine type, 719 Hubert, C. I., 929 trigonometric form, 708, 750 Huelsman, L. P., 929 Fourier theorem, 708 Hyperbolic functions, 860 Fourier transform, 760, 762, 789 applications of, 785 circuit applications of, 779 conditions for existence, 763 I definition of, 762 properties of, 766 IEEE, 295, 353 Franco, S., 929 Ignition circuit, 281, 336, 340 Franklin, Benjamin, 6 Impedance, 370, 384, 672 Frequency definition of, 370 damping, 305 Impedance matching, 548, 566 fundamental, 708 Impulse response, 673, 695, 780 natural, 303 Induced voltage; see Mutual voltage neper, 303 Inductance, 528 resonant, 303 definition of, 212 undamped natural, 303, 305, 340 parallel combination, 333, 217 unit of, 353 series combination, 333, 216 Frequency differentiation, 653 Inductance simulator, 430 Frequency domain, 363 Inductor, 202, 211, 226 Frequency of rejection, 611 Frequency response, 584, 631 applications of, 211, 219 definition of, 212 using PSpice, 622, 632, 886 properties of, 213, 214, 219 Frequency shifting, 651, 769 Frequency spectrum, 584, 711, 750 values of, 212

Initial conditions, 667

Initial value, 296, 297, 654

definition of, 711

Fundamental frequency, 708

Line current, 484, 487, 489, 491, 492, 500, 517

Initial-value theorem, 655 Line spectra, 736 Line voltage, 483, 484, 486, 489, 490, 492 Instantaneous power, 10, 434, 494, 517 Instrumentation amplifier, 177, 187 Linear circuit, 120, 153 Integrals, 861-863 definition of, 121 Integration by parts, 861 Linear capacitor, 204 Linearity, 120, 333, 649, 766 Integrator, 220, 428 Integrodifferential equations, 685, 695 Load, 57 International System of Units, 4, 5, 21 balanced type, 481 Inverse Fourier transform, 762, 789 three-phase type, 481 Inverse Laplace transform, 647, 648, 695 unbalanced type, 481 steps for finding, 659 Loading effect, 148 Inverting amplifier; see Amplifier Logarithm, 588 Irwin, J. D., 929 Loop, 34, 87 definition of, 34 Loop analysis; see Mesh analysis Lowpass filter, 609, 614, 629, 630 J definition of, 610 Jackson, H. W., 929 Johnson, D. E., 929 M K Madhu, S., 929 Magnetic coupling, 528, 529 loosely type, 537 Karni, S., 929 perfect type, 537, 545 Katz, L., 929 tightly type, 537 Kemmerly, J. E., 929 Magnitude, 585 Kinariwala, B. K., 930 Maloney, T. J., 929 Kirchhoff, G. Robert, 27, 35 Maximum power transfer, 153, 556 Kirchhoff's laws, 35 for AC circuits, 440, 441 Kirchhoff's current law (KCL), 36, 61, 372, 394 for DC circuits, 142-144 definition of, 36 Mayergoyz, I. D., 929 in frequency domain, 372 Mesh. 87 Kirchhoff's voltage law (KVL), 37, 61, 373, 397 definition of, 88 definition of, 37 Mesh analysis, 87, 92, 397 Kraus, A. D., 929 by inspection, 95–96 versus nodal analysis, 99 steps for, 89 L Method of algebra, 662 Morse, Samuel, 150, 645 Mottershead, A., 930 Ladder method, 673 Multimeter, 57 Ladder network, 831, 834 Mutual inductance, 528-530, 539, 569 Lagging, 356, 368, 370 definition of, 530 power factor, 448 Mutual voltage, 529, 530, 569 Laplace, P. Simon, 645 Laplace transform, 645, 646, 694 applications of, 687 definition of, 646 N properties of, 649-656 steps for applying, 667 Lawson, W., 929 Napier, John, 303 Leach, D. P., 929 Nasar, S. A., 930 Leading, 356, 368, 370 National Electrical Code (NEC), 515 power factor, 448 Natural response, 239, 259, 282, 301, 303, 314, 320, 340 L'Hopital's rule, 863 definition of, 239 Lighting system, 55 Negative sequence; see ACB sequence Lin, P. M., 929 Netlist, 873 Lin, P. Y., 929 Network, 33

balanced type, 52, 375

Network stability, 687, 695	Parameters, 796
definition of, 688	admittance or y type, 801
Network synthesis, 691, 695, 630	computation with <i>PSpice</i> , 823
definition of, 691	hybrid or <i>h</i> type, 805, 827
Network topology, 33, 34	immittance type, 801
Neudorfer, P. O., 930	impedance or z type, 796, 797
Nilsson, J. W., 930	inverse hybrid or g type, 805
Nodal analysis, 76, 82, 394	inverse transmission or abcd type, 811
by inspecton, 95	transmission or ABCD type, 810
versus mesh analysis, 99	Parrett, R., 930
steps for, 76	Parseval, Marc-Antonie, 732
Node, 33	Parseval theorem, 732, 735, 751, 782, 789
Noninverting amplifier; see Amplifier	Partial fraction expansion, 659
Norton's theorem, 137, 138, 153, 406	Passive filters, 608
definition of, 137	limitations of, 613
derivation of, 140	Passive sign convention, 10, 22, 874
with PSpice, 144	for capacitor, 203
Notch filter; see Bandstop filter	definition of, 10
Nyquist frequency/rate, 789, 790	for inductor, 212
	for mutual voltage, 530
	for resistor, 29
_	Paul, C. R., 930
O	Period, 355, 356
	Periodic function, 355, 654, 708, 746, 749
0.116 (; 720	definition, 355
Odd function, 720	Phase, 356, 384, 585
Ohm, Georg, 27, 29	Phase current, 484, 485, 487, 491, 492, 494, 517
Ohm's law, 28, 779	Phase diagram, 481
definition of, 29	Phase voltage, 480, 484, 486, 489, 490, 492, 494, 517
Ohmmeter, 59	balanced type, 480
O'Malley, J. R., 930	Phase sequence, 481, 516
Op amp, 166	definition of, 481
applications of, 185	Phase-shifters, 379
definition of, 166	Phase spectrum, 711, 735, 762
first-order ciruit, 268	Phasor, 359, 361–363, 384
ideal type, 170, 189	definition of, 359
properties of, 170, 411	Phasor diagram, 362, 368, 369, 487
with PSpice, 183	Phasor domain, 363
second-order circuit, 327	Phasor representation, 361
Open circuit, 30, 60	of circuit elements, 367–368
definition of, 30	Poles, 585, 591, 631, 659, 688
Operational amplifier; see Op amp	definition of, 585
Oscillation, 305, 306	Polyphase, 478
Oscillator, 418, 420, 627, 689	Port, 796
definition of, 418	Positive sequence; <i>see</i> ABC sequence
types of, 431	Pot; see Potentiometer
Oscilloscope, 223, 746, 867	Potential difference; see Voltage
Overdamped response; see Response	Potentiometer, 56
	Poularikas, A. D., 930
	Power, 10, 22, 31, 121,123, 333, 731, 732
ת	apparent power, 447, 451, 465
P	average, 435, 445, 464
	complex, 449, 465
Papoulis, A., 930	conservation of, 11, 453
Parallel combination, 61	definition of, 10
of capacitors, 229, 208	instantaneous, 10, 434, 464
definition of, 34	reactive, 450, 451, 465
of impedances, 374	Power distribution, 567
of inductors, 233, 215	Power factor, 447, 451, 462, 464, 509, 510
of resistors, 43	definition of, 448
of two-ports, 818	Power factor angle, 447, 450, 451, 510
51 t 5 ports, 515	10001 14001 411510, 111, 130, 131, 310

D	
Power factor correction, 457, 458, 465 definition of, 457	overdamped, 303, 315, 340
,	underdamped, 304. 315, 340 Reversal, 770
Power grid, 568 Power measurement, 459	RC circuit, 238
for three-phase systems, 508	applications of, 276, 278
	Ringing, 305, 306
Power systems, 433, 567	
Power triangle, 451	Ridsdale, R. E., 930
Power triangle, 451 Probe, 866	Riedel, S. A., 930 <i>RL</i> circuit, 243
Problem solving, 18–21	applications of, 280, 281
PSpice, 100, 107, 144, 153, 865	<i>RLC</i> circuit, 296, 340
for AC analysis, 413	applications of, 336, 338
for coupled circuits, 559	parallel type, 308, 319
for DC analysis, 872	properties of, 305
for Fourier analysis, 740	series type, 301, 314
for frequency response, 622	RMS; see Root-mean-square
for op amp, 183	Root-mean-square (rms) value, 730, 731, 750; see also
for three-phase systems, 504	Effective value
for two-port parameters, 823	Rosa, A. J., 930
transient analysis, 273, 283, 330, 340	1000, 11. 3., 730
transient analysis, 273, 263, 336, 346	
	S
	S
Q	
	Sampling, 338, 788, 790
0 1 1 0 1 0 0	Sampling function, 736
Quadratic formula, 859	Sampling rate, 788
Quality factor, 603, 616, 620, 632	Sampling theorem, 746, 788
definition of, 603	Sander, K. F., 930
	Sawtooth function, 254
	Scaling, 619, 632, 649, 767
R	frequency type, 620, 621
K	magnitude type, 619, 621
	Schematics, 866, 867
Radio receiver, 626, 632	Scott, D., 930
Reactance, 370	Second-order circuits, 296, 302, 322, 327, 340
Reactive power, 450, 451, 465, 495, 510, 556	definition of, 296
Real power, 451, 464, 517, 556; see also Average power	Selectivity, 603
Rectifier, 564	Self-inductance, 529
Reference node, 76	Series combination, 61
Reflected impedance, 541, 548	of capacitors, 229, 209
Relay circuit, 280	defintion of, 34
Residential wiring, 514	impedances, 373
Residue method, 660	of inductors, 233, 216
Resistance, 28, 60	of resistors, 42
definition of, 29, 390	of two-ports, 817
Resistance matrix, 96	Short circuit, 29, 60
Resistance measurement, 150, 153	definition of, 30
Resistivity, 28	SI unit; see International System of Units
Resistor, 28,	Signal, 9
applications of, 54	Signum function, 776
types of, 30	Simulation, 865, 866, 882, 887
Resonance	Sinc function, 736
definition of, 601	Singularity functions, 249
parallel type, 605	definition of, 249
series type, 600	Sinor, 361
Resonant circuit, 601, 603, 604	Sinusoid, 354
applications of, 626	definition of, 354
Resonant frequency, 601, 620, 632	Smith, K. C., 930
Response, 120, 677	Smoothing circuit, 338, 340
critically damped, 303, 315, 340	Software engineering, 393

Source	Time differentiation, 651, 769
dependent type, 13, 22	Time integration, 652, 770
ideal type, 13, 14, 22	Time periodicity, 654
independent type, 13, 22	Time scaling, 767
Source-free circuits, 238	Time shifting, 650, 768
RC type, 238	Tocci, R. J., 930
<i>RL</i> type, 243	Total response, 400; <i>see also</i> Complete response
<i>RLC</i> type, 301, 308	Touch-tone telephone, 628, 633
Source modeling, 147, 153, 154	Transfer admittance, 585, 672
Source resistance, 148	Transfer function, 584, 589, 631, 672–673, 691, 695,
Source transformation, 127, 128, 129, 138, 153, 404	779, 789
Spectrum analyzer, 746, 747, 751	•
Stanley, W. D., 930	definition of, 584, 672, 673
Steady-state response, 259; <i>see also</i> Forced response	Transfer impedance, 585, 672
Steinmetz, C. Proteus, 353, 359	Transformer, 338, 528, 569
Step response, 257, 283, 322	air-core type, 540, 569
definition of, 258	applications of, 528, 546
of RC circuit, 257	definition of, 539
of RL circuit, 263	ideal type, 545, 546, 570, 798
of RLC circuit, 314, 319	isolation type, 547, 564
Storage elements, 202	linear type, 539, 540, 569
Strum, R. D., 930	matching type, 566
Stuller, J. A., 929	step-down type, 547
Subtractor, 177, 178	step-up type, 547
Summing amplifier; see Amplifier	three-phase type, 556, 570
Summer, 176; see also Amplifier, summing type	types of, 564
	Transient response, 259, 282
Supermesh, 92,107, 399 definition of, 92	with <i>PSpice</i> , 273
	Transistor, 102–104, 107, 826, 834
properties of, 93 Superrode, 83, 107, 206	Transmission lines, 479
Supernode, 83, 107, 396	Trigonometric identities, 859
definition of, 83	Tuinenga, P. W., 930
properties of, 84	Turns ratio, 546
Superposition, 122, 140, 153, 400, 420	TV picture tube, 15, 22
definition of, 123	Two-phase system, 478
Susceptance, 371	Two-port network, 796, 833
Svoboda, J. A., 929	applications of, 826, 830
Sweeps, 622	definition of, 796
types of, 622	interconnection of, 817
Switching functions; see Singularity functions	,
Symmetry, 717	reciprocal type, 798, 834
even type, 717	symmetrical type, 798
half-wave type, 720	Two-port network parameters; see Parameters
odd type, 719	Two-wattmeter method, 509, 517
Synthesis; see Network synthesis	Two-wire system, 478, 495
T	U
1	
	11 1 1 1 1 401
Tesla, Nikola, 447	Unbalanced load, 481
Thevenin theorem, 131–133, 137, 153, 406	Unbalanced system, 500, 517
definition of, 131	definition of, 500
derivation of, 140	Underdamped response; see Response
with PSpice, 144	Unit impulse, 251, 283
Thomas, R. E., 930	definition of, 251
Three-phase system, 478, 479, 496	sifting property of, 252
Three-wattmeter method, 508	Unit ramp, 252, 283
Three-wire system, 478, 496	definition of, 252
Time constant, 239–241, 244, 277, 278, 281, 282	Unit step, 250, 282
definition of, 240	definition of, 250

V

Van Valkenburg, M. E., 930 Varmeter, 459 Volta, Alessandro Antonio, 3, 9 Voltage, 9, 22 Voltage divider, 42 Voltage division, 229, 233, 42, 56, 61, 373 Voltage follower, 174, 189, 416 Voltage gain, 585, 672 Voltmeter, 57 sensitivity of, 60

W

Ward, J. R., 930 Wattmeter, 435, 459, 465, 508 definition of, 460 Wheatstone, Charles, 150 Wheatstone bridge, 150, 153 White, P. A., 929 Whitehouse, J. E., 930 Wye-connected load, 492, 482, 490 Wye-connected source, 482, 486 Wye-delta transformation, 50, 51, 61, 375

Y

Yorke, R., 930

Z

Zeros, 585, 591, 631, 659, 688 definition of, 585